

Hampstead Heath

Registered Charity

Water Quality results from the Hampstead Heath Bathing Ponds

June 2020 – April 2021

Kenwood Ladies' Pond

Date Sample Taken	Sample Tested by	Escherichia coli (EC) readings from the Jetty	Enterococci (IE) readings from the Jetty	Escherichia coli (EC) readings from the Inlet	Enterococci (IE) readings from the Inlet	Escherichia coli (EC) readings from the Rescue Jetty	Enterococci (IE) readings from the Rescue Jetty
24/06/2020	PHE	38 MPN/100ml	7 CFU/100mL	-	-	-	-
1/07/2020	PHE	34 MPN/100ml	10 CFU/100mL	-	-	-	-
16/07/2020	PHE	1.5 x 10 ² MPN/100ml	68 CFU/100mL	-	-	-	-
31/07/2020	EA	160 /100ml	36/100ml	-	-	-	-
03/08/2020	EA	390 /100ml	64/100ml	-	-	-	-
02/09/2020	EA	650 /100ml	36/100ml	-	-	-	-
17/09/2020	PHE	2.3 x 10 ³ MPN/100ml	68 CFU/100mL	1.0 x 10 ⁵ MPN/100ml	8.9 x 10 ³ CFU/100ml	-	-
18/09/2020	PHE	2.1 x 10 ³ MPN/100ml	95 CFU/100ml			-	-
19/09/2020	PHE	8.7 x 10 ³ MPN/100ml	25 CFU/100mL	7.3 x 10 ² MPN/100ml	48 CFU/100ml	-	-
20/09/2020	PHE	3.9 x 10 ² MPN/100mL	30 CFU/100ml	2.7 x 10 ² MPN/100ml	23 CFU/100ml	-	-
21/09/2020	PHE	3.1 x 10 ² MPN/100mL	18 CFU/100ml	2.0 x 10 ² MPN/100ml	10 CFU/100ml	-	-
22/09/2020	PHE	1.3 x 10 ² MPN/100ml	25 CFU/100ml	1.9 x 10 ² MPN/100ml	49 CFU/100ml	-	-
23/09/2020	PHE	91 MPN/100ml	20 CFU/100mL	602 MPN/100ml	45 CFU/100mL	-	-
24/09/2020	PHE	124 MPN/100ml	19 CFU/100mL	921 MPN/100ml	210 CFU/100mL	-	-
25/09/2020	PHE	99 MPN/100ml	37 CFU/100ml	4.9 x 10 ² MPN/100ml	55 CFU/100mL	-	-
26/09/2020	PHE	1.7 x 10 ² MPN/100ml	66 CFU/100ml	2.9 x 10 ² MPN/100ml	1.8 x 10 ² CFU/100ml	-	-
27/09/2020	PHE	2.1 x 10 ² MPN/100mL	64 CFU/100mL	1.7 x 10 ² MPN/100ml	87 CFU/100mL	-	-
28/09/2020	PHE	2.1 x 10 ² MPN/100ml	13 CFU/100ml	2.4 x 10 ³ MPN/100ml	35 CFU/100ml	-	-
29/09/2020	PHE	166 MPN/100ml	14 CFU/100mL	866 MPN/100ml	220 CFU/100mL	-	-
30/09/2020	PHE	81 MPN/100ml	18 CFU/100mL	238 MPN/100ml	47 CFU/100mL	-	-

Date Sample Taken	Sample Tested by	Escherichia coli (EC) readings from the Jetty	Enterococci (IE) readings from the Jetty	Escherichia coli (EC) readings from the Inlet	Enterococci (IE) readings from the Inlet	Escherichia coli (EC) readings from the Rescue Jetty	Enterococci (IE) readings from the Rescue Jetty
1/10/2020	PHE	1.3 x 10 ² MPN/100ml	24 CFU/100ml	2.4 x 10 ² MPN/100ml	32 CFU/100ml	1.8 x 10 ² MPN/100ml	27 CFU/100ml
2/10/2020	PHE	1.3 x 10 ² MPN/100ml	14 CFU/100ml	6.9 x 10 ³ MPN/100ml	39 CFU/100ml	2.8 x 10 ² MPN/100ml	29 CFU/100ml
3/10/2020	PHE	1.0 x 10 ³ MPN/100ml	1.3 x 10 ³ CFU/100ml	6.5 x 10 ³ MPN/100ml	5.0 x 10 ³ CFU/100ml	4.4 x 10 ³ MPN/100ml	2.2 x 10 ³ CFU/100ml
4/10/2020	PHE	2.4 x 10 ³ MPN/100ml	2.9 x 10 ³ CFU/100ml	4.4 x 10 ³ MPN/100ml	4.4 x 10 ³ CFU/100ml	3.4 x 10 ³ MPN/100ml	3.0 x 10 ³ CFU/100ml
5/10/2020	PHE	1.7 x 10 ³ MPN/100ml	1.5 x 10 ³ CFU/100ml	2.0 x 10 ³ MPN/100ml	1.8 x 10 ³ CFU/100ml	2.4 x 10 ³ MPN/100ml	2.1 x 10 ³ CFU/100ml
6/10/2020	PHE	1.3 x 10 ³ MPN/100ml	5.8 x 10 ² CFU/100ml	5.3 x 10 ² MPN/100ml	5.1 x 10 ² CFU/100ml	1.7 x 10 ³ MPN/100ml	1.9 x 10 ³ CFU/100ml
7/10/2020	PHE	461 MPN/100ml	530 CFU/100ml	687 MPN/100ml	420 CFU/100 ml	517 MPN/100ml	560 CFU/100 ml
8/10/2020	PHE	4.9 x 10 ² MPN/100ml	3.0 x 10 ² CFU/100ml	6.5 x 10 ² MPN/100ml	2.7 x 10 ² CFU/100ml	5.2 x 10 ² MPN/100ml	1.4 x 10 ² CFU/100ml
9/10/2020	PHE	3.3 x 10 ² MPN/100ml	2.0 x 10 ² CFU/100ml	2.4 x 10 ² MPN/100ml	1.5 x 10 ² CFU/100ml	3.3 x 10 ² MPN/100ml	1.9 x 10 ² CFU/100ml
10/10/2020	PHE	2.3 x 10 ² MPN/100ml	56 CFU/100ml	1.4 x 10 ² MPN/100ml	63 CFU/100ml	2.4 x 10 ² MPN/100ml	72 CFU/100ml
12/10/2020	PHE	1.3 x 10 ² MPN/100ml	44 CFU/100ml	1.4 x 10 ² MPN/100ml	45 CFU/100ml	2.1 x 10 ² MPN/100ml	45 CFU/100ml
14/10/2020	PHE	1.9 x 10 ² MPN/100ml	75 CFU/100ml	2.8 x 10 ² MPN/100ml	1.4 x 10 ² CFU/100ml	3.1 x 10 ² MPN/100ml	1.3 x 10 ² CFU/100ml
15/10/2020	PHE	2.1 x 10 ² MPN/100ml	38 CFU/100ml	-	-	2.1 x 10 ² MPN/100ml	44 CFU/100ml
16/10/2020	PHE	1.2 x 10 ² MPN/100ml	19 CFU/100ml	1.6 x 10 ² MPN/100ml	12 CFU/100ml	-	-
17/10/2020	PHE	1.6 x 10 ² MPN/100ml	25 CFU/100ml	-	-	1.3 x 10 ² MPN/100ml	31 CFU/100ml
18/10/2020	PHE	75 MPN/100ml	9 CFU/100ml	-	-	1.5 x 10 ² MPN/100ml	17 CFU/100ml
21/10/2020	PHE	93 MPN/100ml	26 CFU/100ml	6.5 x 10 ² MPN/100ml	40 CFU/100ml	1.6 x 10 ⁴ MPN/100ml	8.2 x 10 ² CFU/100ml
28/10/2020	PHE	28 MPN/100ml	52 CFU/100ml	-	-	-	-
04/11/2020	PHE	1.4 x 10 ² MPN/100ml	45 CFU/100ml	-	-	-	-
11/11/2020	PHE	64 MPN/100ml	20 CFU/100ml	-	-	-	-
18/11/2020	PHE	1.1 x 10 ² MPN/100ml	35 CFU/100ml				
25/11/2020	PHE	45 MPN/100ml	30 CFU/100ml				
02/12/2020	PHE	29 MPN/100ml	11 CFU/100ml				
09/12/2020	PHE	85 MPN/100ml	88 CFU/100ml				
16/12/2020	PHE	50 MPN/100ml	75 CFU/100ml				
04/01/2021	PHE	57 MPN/100ml	26 MPN/100ml				
13/01/2021	PHE	2.8 x 10 ² MPN/100ml	1.0 x 10 ³ CFU/100ml				
27/01/2021	PHE	1.5 x 10 ² MPN/100ml	27 MPN/100ml	2.0 x 10 ³ MPN/100ml	46 MPN/100ml		
03/02/2021	PHE	4.1 x 10 ² MPN/100ml	4.6 x 10 ² CFU/100ml				
10/02/2021	PHE	47 MPN/100ml	1.0 x 10 ² CFU/100ml				
17/02/2021	PHE	1.3 x 10 ² MPN/100ml	20 CFU/100ml	2.5 x 10 ³ MPN/100ml	28 CFU/100ml		

Date Sample Taken	Sample Tested by	Escherichia coli (EC) readings from the Jetty	Enterococci (IE) readings from the Jetty	Escherichia coli (EC) readings from the Inlet	Enterococci (IE) readings from the Inlet	Escherichia coli (EC) readings from the Rescue Jetty	Enterococci (IE) readings from the Rescue Jetty
25/02/2021	PHE	77 MPN/100ml	23 CFU/100ml	1.8×10^2 MPN/100ml	60 CFU/100ml		
03/03/2021	PHE	75 MPN/100ml	5 CFU/100ml	67 MPN/100ml	75 CFU/100ml		
10/03/2021	PHE	35 MPN/100ml	3 CFU/100ml	1.3×10^2 MPN/100ml	57 CFU/100ml		
17/03/2021	PHE	16 MPN/100ml	Not detected	7.7×10^2 MPN/100ml	10 CFU/100ml		
24/03/2021	PHE	27 MPN/100ml	4 CFU/100ml	1.9×10^2 MPN/100ml	1.4 CFU/100ml		
07/04/2021	PHE	34 MPN/100ml	7 CFU/100ml	1.1×10^2 MPN/100ml	24 CFU/100ml		
14/04/2021	PHE	26 MPN/100ml	3 CFU/100ml	50 MPN/100ml	24 CFU/100ml		
21/04/2021	PHE	12 MPN/100ml	24 CFU/100ml	4.1×10^2 MPN/100ml	2.1×10^3 CFU/100ml		
28/04/2021	PHE	8 MPN/100ml	1.1×10^2 CFU/100ml				

Highgate Men's Bathing Pond

(readings taken from the jetty)

Date Sample Taken	Sample Tested By	Escherichia coli (EC)	Enterococci (IE)
24/06/2020	PHE	12 MPN/100ml	4 CFU/100mL
1/07/2020	PHE	18 MPN/100ml	13 CFU/100mL
16/07/2020	PHE	11 MPN/100m	4 CFU/100mL
31/07/2020	EA	10 /100ml	10 /100ml
3/08/2020	EA	36 /100ml	27 /100ml
2/09/2020	EA	64 /100ml	18 /100ml
18/09/2020	PHE	29 MPN/100ml	30 CFU/100mL
19/09/2020	PHE	41 MPN/100ml	13 CFU/100mL
20/09/2020	PHE	43 MPN/100ml	18 CFU/100mL
21/09/2020	PHE	30 MPN/100ml	17 CFU/100mL
22/09/2020	PHE	17 MPN/100ml	40 CFU/100mL
23/09/2020	PHE	25 MPN/100ml	<i>To follow</i>
24/09/2020	PHE	34 MPN/100ml	<i>To follow</i>
25/09/2020	PHE	40 MPN/100ml	27 CFU/100mL
26/09/2020	PHE	62 MPN/100ml	40 CFU/100mL
27/09/2020	PHE	29 MPN/100ml	13 CFU/100mL
28/09/2020	PHE	36 MPN/100ml	6 CFU/100mL
29/09/2020	PHE	49 MPN/100ml	<i>To follow</i>
6/10/2020	PHE	2.1 x 10 ² MPN/100ml	72 CFU/100mL
7/10/2020	PHE	99 MPN/100ml	30 CFU/100mL
21/10/2020	PHE	26 MPN/100ml	41 CFU/100mL
28/10/2020	PHE	21 MPN/100ml	27 CFU/100mL
04/11/2020	PHE	29 MPN/100ml	24 CFU/100mL
11/11/2020	PHE	35 MPN/100ml	15 CFU/100mL
18/11/2020	PHE	54 MPN/100ml	35 CFU/100mL
25/11/2020	PHE	59 MPN/100ml	22 CFU/100mL
02/12/2020	PHE	36 MPN/100ml	30 CFU/100mL
09/12/2020	PHE	23 MPN/100ml	56 CFU/100mL
16/12/2020	PHE	31 MPN/100ml	70 CFU/100mL
04/01/2021	PHE	65 MPN/100ml	41 CFU/100mL
13/01/2021	PHE	15 MPN/100ml	49 CFU/100mL
27/01/2021	PHE	47 MPN/100ml	44 CFU/100mL
03/02/2021	PHE	93 MPN/100ml	1.1 x 10 ² CFU/100ml
10/02/2021	PHE	81 MPN/100ml	1.2 x 10 ² CFU/100ml
17/02/2021	PHE	34 MPN/100ml	27 CFU/100mL
25/02/2021	PHE	16 MPN/100ml	26 CFU/100mL
03/03/2021	PHE	64 MPN/100ml	11 CFU/100mL
10/03/2021	PHE	16 MPN/100ml	5 CFU/100mL
17/03/2021	PHE	9 MPN/100ml	2 CFU/100mL
24/03/2021	PHE	10 MPN/100ml	9 CFU/100mL
07/04/2021	PHE	9 MPN/100ml	5 CFU/100mL
14/04/2021	PHE	22 MPN/100ml	17 CFU/100mL
21/04/2021	PHE	15 MPN/100ml	9 CFU/100mL
28/04/2021	PHE	36 MPN/100ml	4 CFU/100mL

Hampstead Mixed Bathing Pond

(readings taken from the jetty)

Date Sample Taken	Sample Tested By	Escherichia coli (EC)	Enterococci (IE)
24/06/2020	PHE	91 MPN/100ml	3 CFU/100mL
1/07/2020	PHE	33 MPN/100ml	26 CFU/100mL
16/07/2020	PHE	30 MPN/100m	17 CFU/100mL
31/07/2020	EA	18 /100ml	45 /100ml
03/08/2020	EA	10 /100ml	18 /100ml
02/09/2020	EA	230 /100ml	45 /100ml
21/09/2020	PHE	74 MPN/100ml	20 CFU/100mL
22/09/2020	PHE	4.6 x 10 ² MPN/100mL	33 CFU/100mL
23/09/2020	PHE	186 MPN/100ml	To follow
24/09/2020	PHE	138 MPN/100ml	To follow
25/09/2020	PHE	57 MPN/100ml	50 CFU/100mL
26/09/2020	PHE	91 MPN/100ml	41CFU/100mL
27/09/2020	PHE	1.4 x 10 ² MPN/100mL	39 CFU/100mL
28/09/2020	PHE	52 MPN/100mL	30 CFU/100mL
29/09/2020	PHE	141 MPN/100mL	To follow
6/10/2020	PHE	6.5 x 10 ² MPN/100mL	5.4 x 10 ² CFU/100mL
7/10/2020	PHE	1.7 x 10 ² MPN/100mL	2.0 x 10 ² CFU/100mL
21/10/2020	PHE	1.1 x 10 ² MPN/100mL	39 CFU/100mL
28/10/2020	PHE	1.4 x 10 ³ MPN/100ml	2.1x10 ² CFU/100mL
04/11/2020	PHE	58 MPN/100ml	39 CFU/100mL
11/11/2020	PHE	1.2 x 10 ² MPN/100m	11 CFU/100mL
18/11/2020	PHE	76 MPN/100ml	46 CFU/100mL
25/11/2020	PHE	24 MPN/100ml	29 CFU/100mL
02/12/2020	PHE	32 MPN/100ml	24 CFU/100mL
09/12/2020	PHE	1.5 x10 ² MPN/100mL	3.4 x10 ² CFU/100mL
16/12/2020	PHE	1.0 x10 ² MPN/100mL	4.5 x10 ² CFU/100mL
04/01/2021	PHE	66 MPN/100ml	33 CFU/100mL
13/01/2021	PHE	1.3 x10 ² MPN/100mL	77 CFU/100mL
27/01/2021	PHE	1.9 x10 ² MPN/100mL	4.8 x 10 ² CFU/100mL
03/02/2021	PHE	4.4 x10 ² MPN/100mL	3.3 x10 ² CFU/100mL
10/02/2021	PHE	1.1 x10 ² MPN/100mL	1.4 x10 ² CFU/100mL
17/02/2021	PHE	47 MPN/100ml	22 CFU/100mL
25/02/2021	PHE	12 MPN/100ml	17 CFU/100mL
03/03/2021	PHE	56 MPN/100ml	13 CFU/100mL
10/03/2021	PHE	14 MPN/100ml	10 CFU/100mL
17/03/2021	PHE	28 MPN/100ml	3 CFU/100mL
24/03/2021	PHE	11 MPN/100ml	8 CFU/100mL
07/04/2021	PHE	78 MPN/100ml	31 CFU/100mL
14/04/2021	PHE	29 MPN/100ml	19 CFU/100mL
21/04/2021	PHE	21 MPN/100ml	11 CFU/100mL
28/04/2021	PHE	26 MPN/100ml	1 CFU/100mL